

Index *(Note: for more program and statistical details check program Help.)*

- Addelman, 11-3
- adequate precision, 12-7
- adjusted linear effect, 12-7
- alias structure, 3-24
- aliased interactions
 - graphical investigation, 3-29
- aliasing, 3-27, 3-34, 6-10, 9-19, 12-4
 - warning, 3-28, 3-35, 13-7
- analysis
 - process, 2-6
- analysis of variance, 2-7, 3-10, 6-13, 12-2
 - mixtures, 7-13
- analysis sequence, 12-2
- Anderson and Whitcomb, 9-8, 10-6, 12-1
- augmentation, 3-26, 9-15
 - d-optimal, 9-17
 - two-level factorial to central composite design, 9-16
- axial points, 6-3, 11-8
 - alpha value, 6-4, 11-8
- blocking, 4-14, 6-25, 11-2, 11-5, 11-24, 12-9
 - adding new blocks, 2-14
 - central composite design, 6-2, 11-9
 - sorting, 2-16
- Box, 11-25
- Box-Behnken, 11-11
- Box-Cox, 3-13, 12-3
- candidate points, 11-12
 - creating with factorial, 9-14
 - creating your own, 9-12
 - crossed design, 8-3
 - mixture, 11-20
 - user-defined selection, 11-23
- canonical polynomial, 11-21
- categorical factors, 9-5, 13-6
 - adding to mixture design, 9-6
 - adding to response surface design, 11-16
 - crossed design, 11-24
 - making numeric, 4-7
 - one-factor design, 11-15
- center points, 3-2, 6-15, 9-17, 9-18, 11-3, 11-8, 11-15, 11-25
- central composite design (CCD), 6-1, 9-17, 9-18, 11-8
 - options, 11-10
 - small, 11-10
- coding, 11-5, 13-7, 13-9
 - general factorial (categorical), 11-6
 - mixtures, 7-6, 11-17
 - response surface designs, 6-6
 - two-level factorials, 3-5
- confidence interval, 9-23
- constraints
 - equality, 13-20
 - multilinear, 9-9, 11-12, 11-17
 - ratio, 13-17, 13-18
- contour plot, 3-18, 6-16, 13-7
 - flag, 7-19
 - mixture, 7-17
- CONVERT algorithm, 11-20
- copy
 - with headings, 13-4
- Cornell, 8-1, 12-1
- cost equation. *See* equation-only response
- crossed design, 8-1, 11-23
- cube plot, 3-17
- curvature, 9-16, 9-18, 11-3, 11-9, 11-20, 12-9
- data entry
 - adding new rows, 2-15
 - duplicating rows, 2-16
 - form, 2-4
 - ignoring, 2-14
- Derringer and Suich, 6-28
- design
 - coding, 11-25
 - description, 3-21, 13-7
 - editing, 11-24
 - evaluation, 3-24, 3-27, 3-34, 9-18, 11-21, 12-4
 - Id, 11-25
 - layout, 9-18, 11-5, 11-8, 13-7
 - sorting by standard order, 11-25

- standard order, 11-5
- status, 13-8
- design points
 - showing on plots, 4-5
- design status, 6-26
- desirability, 6-29, 12-10
 - graphs, 6-32, 7-30
 - histogram, 7-29
 - importance, 12-12
 - importance, 6-30, 7-27
 - ramps, 6-31, 7-29
 - weights, 12-11
 - weights, 6-29, 7-27
- determinant, 9-23
- distance-based design, 11-15
 - mixture, 11-22
 - modified, 11-15, 11-22
- d-optimal design, 8-9
 - algorithm, 11-14
 - bootstrap, 11-14
 - categorical, 9-6
 - mixture, 11-20
 - response surface, 11-11
- Draper and Lin, 11-10
- Draper and Smith, 12-1
- duplicating design points, 7-8
- effects
 - half-normal plot, 3-7
 - normal plot, 12-4
 - selection
 - by probability, 4-3
 - standardized, 12-4
- eigenvalues, 9-23
- equation
 - coded, 6-14
- equation-only response, 10-4
- expected mean squares (EMS), 4-23
- Factors Tool, 3-16, 3-21, 6-17, 6-39, 7-22, 8-7, 13-9
 - Sheet mode, 3-17
- flipping axes, 3-35
- foldover
 - complete, 3-26
 - single factor, 3-33
- format
 - data, 3-5
- G efficiency, 9-23
- general factorial design, 4-1, 11-4
 - d-optimal, 11-4
 - generators. *See* two-level factorial design:
 - fractional generators
 - graph preferences, 6-19, 7-18, 13-7
 - half-normal plot. *See* effects, half-normal plot
 - hardware requirements, 1-3
 - Help, 9-1, 13-1
 - context-sensitive, 13-2
 - statistical, 13-3
 - via right-click, 3-11
 - What's This option, 3-2, 8-9, 13-2
 - hexagon design, 11-15
 - hierarchy, 3-29, 12-3
 - hybrid design, 11-11
 - icons. *See* installation, icons
 - installation
 - icons, 1-9
 - network, 1-6
 - single-user, 1-3
 - tutorials, 1-8
 - uninstall, 1-6
 - interaction, 11-2, 12-4
 - irregular fractions, 11-3
 - John, 11-3
 - Kraber, 9-18, 12-1
 - lack-of-fit, 6-11, 7-11, 9-21, 11-13, 11-18, 11-22
 - least significant difference (LSD), 2-11, 3-16, 5-9, 12-5
 - legend, 3-18
 - Lenth, 3-9, 3-30
 - leverage, 9-18, 9-22, 11-13, 11-19, 11-22, 13-6
 - logit, 12-3
 - matrix condition number, 9-23
 - missing data, 12-4
 - mixture design, 7-1, 10-1, 11-16
 - centroid, 12-9
 - combining components, 11-25
 - constraints, 11-17
 - constraints adjustment, 7-3
 - screening, 11-19
 - model coefficients, 9-23, 11-11, 12-8
 - model reduction, 6-12, 10-1, 11-20
 - backward elimination, 8-5, 10-3
 - forward selection, 10-4
 - step-wise, 10-1
 - model selection, 7-12
 - models
 - adding terms, 6-12, 10-2
 - mixture, 12-8
 - slack variable, 11-21
 - two-factor interaction, 6-10

Montgomery, 3-1, 4-1, 4-11, 4-21, 4-27, 11-1, 12-1
 multicollinearity, 9-21, 9-23
 Myers, 6-28, 11-1, 12-1
 Nelder-Mead, 12-13
 nested design, 4-21
 network. *See* installation, network
 numerical optimization, 6-26, 12-10, 13-6
 algorithm, 12-13
 mixtures, 7-25
 options, 6-30, 7-27
 parameters, 6-28
 report, 6-30
 one-factor design, 2-1, 11-15
 one-factor plot, 3-14
 optimization
 graphical, 6-38, 7-36, 12-10
 orthogonality, 9-21
 outlier t, 2-10, 3-12, 7-15, 9-5
 overlay plot. *See* optimization, graphical
 pentagon design, 11-15
 perturbation plot, 6-18
 Piepel, 11-20, 12-9
 Plackett-Burman, 11-4
 point prediction, 3-20, 6-25, 13-9
 by clicking point on effects plot, 3-16
 flag, 6-21
 mixture, 7-22
 point type, 7-9, 11-8, 11-25
 display, 7-8
 pop out view, 13-5
 power, 11-26
 predicted residual sum of squares (PRESS), 7-12, 12-6
 predicted value, 12-7
 prediction variance, 9-23
 preferences, 11-14, 13-6
 PRESS. *See* predicted residual sum of squares
 propagation of error (POE), 6-34, 7-33, 10-6, 12-14
 mixture, 12-16
 transformed response, 12-17
 pure error, 9-21, 11-8, 11-15, 11-20, 12-5
 QR decomposition algorithm, 12-3
 randomization, 3-4, 4-13, 12-9
 replicates, 3-2, 9-18, 11-15, 11-19, 11-22
 residuals, 12-7
 case statistics table, 6-15, 7-14
 diagnostic plots, 2-9
 normal plot, 2-9, 6-15, 7-15
 studentized, 3-11
 versus predicted values, 2-10, 3-11, 7-16
 resolution, 3-2, 11-2
 response prediction. *See* point prediction
 response surface methods (RSM), 6-1, 11-7
 right mouse clicks, 11-24
 scatterplot, 3-6, 6-8
 Scheffe, 11-21
 sequential model sum of squares, 6-10, 7-10, 12-6
 simplex designs, 11-17
 simplex-centroid design, 11-19
 simplex-lattice design, 7-2, 11-18
 augmentation, 7-4
 augmenting, 11-18
 simulations, 13-10
 Sitter, Chen and Feder, 9-2
 Snee, 9-9
 sorting
 response, 2-6
 split plot, 4-11, 13-13
 standard error, 11-8, 12-4, 12-8, 13-7
 plot, 7-21
 plot, 6-23, 9-24, 11-9
 standard order, 2-5
 Sun, Wu and Chen, 9-2
 support, 1-3, 1-10
 Taguchi design, 5-1, 11-5
 three-D plot, 3-19, 6-22, 13-7
 mixture, 7-20
 three-level factorial design, 11-11
 trace plot, 7-17, 12-9
 transformation, 2-6, 6-10, 7-10, 12-2
 power, 12-3
 t-test, 12-5
 two-level factorial design, 11-2
 fractional, 11-2
 fractional factorial, 3-23
 fractional generators, 9-1
 full factorial, 3-1
 split plot, 13-13
 user-defined design, 8-1, 11-16
 variance inflation factor (VIF), 9-21
 Weisberg, 12-1